


የፕሮስቴት ነቀርሳ



ፕሮስቴት ከወንድ ልጅ ፊኛ በታች የሚገኝ፣ ለወንድ ዘር የሚሆን ፈሳሽ የሚያመርት እጢ ነው።

በሁሉም ዕድሜ ውስጥ ከሚገኙ፣ በካንሰር ምክንያት ከሚሞቱ ወንዶች ሶስተኛው ታዋቂ ምክንያት የፕሮስቴት ነቀርሳ ነው።

ዕድሜያቸው ከ 40 በታች በሆኑ ወንዶች ላይ ብዙ የሚታይ የይደለም።

ፕሮስቴት ነቀርሳ ባለባቸው ወንዶች ላይ ያለው ፕሮስቴት ስፕሶሪድ አንቲጀን (prostate specific antigen) (PSA) በመባል የሚታወቀው ንጥረ ነገር አብዛኛውን ጊዜ ክፍ ያለ ነው። ቢሆንም፣ የ PSA የደም መርመራ ውጤት፣ በሌሎች የፕሮስቴት ሁኔታዎች ላይም ከፍ ሊል ይችላል። ይህም በኢንፈክሽንና በፕሮስቴት ማበጥ።


ሳይንቲስቶች የፕሮስቴት ነቀርሳ ምርመራን አስመልክቶ በየጊዜው ተጨማሪ እውቀት እየቀሰሙ ናቸው። ለእርስዎ የተሻለው መቼና፣ ምን አይነት የ PSA ምርመራን ጨምሮ፣ የትኞቹን የፕሮስቴት ነቀርሳ መርመራዎችን ማድረግ እንደሚሻል ለማወቅ ሐኪምዎን ያናግሩ።



የ PSA ምርመራ በጣም እየተዘወተረ በመምጣቱ፣ አብዛኛው የፕሮስቴት ነቀርሳ፣ በሽታ ምልክት ከማሳየቱ በፊት ነው የሚገኘው።

ፕሮስቴት ካንሰር ብዙ ምልክቶች አሉት። ከዚህ የሚከተሉት ምልክቶች ካልዎት ሐኪ ምዎን ይዩ።

- ሽንትን ሲሸኑ መቸገር፣ እንደ ሕመም፣ ሽንት የመጀመር ችግር ወይም የማቆም ወይም ማንጠባጠብ ።
- ዝቅተኛ ጀርባ ህመም
- የወንድ ዘር ፍሬ በሚያፈሱበት ወቅት ላይ ህመም



ለፕሮስቴት ነቀርሳ የሚሰጥ ሕክምና የሚወሰነው ነቀርሳው ያለበት ደረጃ ታይቶ ነው። ነቀርሳው በምን ያህል ፍጥነት እየደገ እንደ ሆነና ባካባቢው ከሚገኝ ስጋ ምን ያህል ልዩ እንደሆነ ማወቁ ምን ደረጃ ላይ እንዳለ ለማወቅ ይረዳል።

- ህክምናው ቀዶ ጥገናን፣ ራዲዮሽን ቴራፒን፣ ኪሞቴራፒ ወይም ነቀርሳውን ሊነኩ የሚችሉ ሆርሞኖችን መቆጣጠርን ሊያጠቃልል ይችላል።



A project by Health Roads Media and EthnoMed
 This project has been funded in whole or in part with Federal funds from the Department of Health and Human Services, National Institutes of Health, National Library of Medicine, under Contract No. HHS-N-276-2011-0008-C with the University of Washington.
 Thank you to Safeway Foundation for its support to Harborview Medical Center's EthnoMed for the development of cancer-related content.